



Poltroncina rivestita con scocca in poliuretano rivestita e base a slitta in alluminio verniciato



Upholstered armchair with polyurethane shell and sled base in varnished steel



- 1. Base con inserto in polipropilene per pavimenti duri o delicati**
Base with polypropylene insert for hard or delicate floors
- 2. Tubo in acciaio al carbonio ad alto spessore. Alta percentuale (max 26,07%) di materiale ferroso riciclato (LEED - NC 2009) Ø 14 mm. Telaio verniciato a polveri termoindurenti a base di resine poliestere per la prevenzione della proliferazione microbica**
High thickness carbon steel tube. High percentage (max 26,07%) of recycled ferrous material (LEED - NC 2009) Ø 14 mm. Thermosetting powder-coated frame based on polyester resins to prevent microbial proliferation
- 3. Schiumato poliuretano, completamente espanso ad acqua. Stampato a freddo con densità 50 kg/m³**
Polyurethane foam, fully water-expanded. Cold-formed with density 50 kg/m³

FINITURE FINISHES**STRUTTURA FRAME**

Verniciato a polvere Powder coated


**DETTAGLI SPEDIZIONE SHIPMENT DETAILS**

1	1pz	0,35 m³	10,5 kg
---	-----	---------	---------

VERSIONE SCOCCA SHELL VERSION

Rivestita totale

Fully upholstered



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign



1,5 ml



2,1mq

Tutti i prodotti rivestiti non sono idonei all'esposizione diretta e prolungata ai raggi solari

Upholstered products are not suitable for direct and prolonged exposure to sunlight

Categorie Categories	Tessuto Fabric	Produttore Manufacturer	Caratteristiche tecniche Technical characteristics
A	ONE SECRET JET MINI CURA	Fidivi Flukso Fidivi Fidivi Gabriel	100% Recycled Polyester 76% PVC - 22% PES - 2% PU 100% Polyester Trevira CS 100% Polyester Trevira CS 98% Post-consumer Recycled Polyester - 2% Polyester
B	SEALIFE GO CHECK FOCUS MELANGE STRETCHY GO UNI EXTREMA AU GYRE	Fidivi Gabriel Gabriel Flukso Gabriel Flukso Flukso	100% Recycled Polyester - SEAQUAL Certified 100% Trevira cs 100% WO 100% Polyester 100% Trevira CS 63% PU - 29% COT - 8% PES 100% Revive
C	ACTON TEMPT GORGEOUS STRETCHY PASSION BREEZE FUSION	Vescom Gabriel Flukso Flukso Gabriel Gabriel	100% Flame retardant Polyester 100% Polyester 100% PES FR - 100% TREVIRA® CS 100% Polyester 91% New Zealand Wool - 9% Polyamide 88% New Zealand Wool - 12% Polyamide
D	CRISP WOLIN CLUNIS EUROPOST 2 MORPH BOEMIAN	Gabriel Vescom Torri Lana Gabriel Gabriel Torri Lana	93% New Zealand Wool - 7% Polyamide 93% New Zealand Wool - 7% Polyamide 33% Wool - 25% Polyester- 25% PC- 15%CO- 2%PA 100% New Zealand Wool 85% New Zealand Wool - 15% Polyamide 33% Wool - 25% Polyester- 25% PC- 15%CO- 2%
E	CANVAS HALLINGDAL 65 FIORD 2 REMIX 3	Kvadrat Kvadrat Kvadrat Kvadrat	90% New Wool Worsted - 10 % Nylon 70% New Wool - 30% Viscose 92% New Wool Worsted - 8% Nylon 90% New Wool Worsted 10% Nylon
P	PRESCOTT POLO	Mastrotto Effetigest	100% European Bovines 100% Origin Bovines
Q	LINEA SWEET	Mastrotto Effetigest	100% European Bovines 100% Origin Bovines



Riciclato
Recycled

Cat. A: One, Cura
Cat. B: Sealife, Gyre
Cat. C: Acton
Cat. D: Wolin



Ignifugo
Flame retardant

Tutti i tessuti selezionati sono ignifughi.
All selected fabrics are fireproof.



STANDARD STANDARD

Base con inserto per pavimenti duri
Base with glide for hard floors



SU RICHIESTA ON REQUEST

Base con inserto per pavimenti delicati
Base with glide for delicate floors

Imballo 100% riciclabile
100% recyclable packaging



SIMBOLI SYMBOLS



Numero di colli
Number of packages



Pezzi per collo
Pieces per package



Volume in m3
Volume in m3



Peso in kg
Weight in kg



Consumo tessuto (ml)
Fabric consumption (ml)



Consumo pelle (mq)
Leather consumption (mq)

