


Poltroncina rivestita con scocca in poliuretano e base a slitta in acciaio verniciato

Upholstered armchair with polyurethane shell and sled base in varnished steel



- 1

2

3
1. Base con inserto in polipropilene per pavimenti duri o delicati
Base with polypropylene insert for hard or delicate floors

2. Tubo in acciaio al carbonio ad alto spessore. Alta percentuale (max 26,07%) di materiale ferroso riciclato (LEED-NC 2009) Ø14 mm. Struttura verniciata a polveri termoindurenti a base di resine poliestere per la prevenzione della proliferazione microbica
High thickness carbon steel tube. High percentage (max 26,07%) of recycled ferrous material (LEED - NC 2009) Ø14 mm. Thermosetting powder-coated structure based on polyester resins to prevent microbial proliferation

3. Scocca in poliuretano flessibile stampato a freddo. Inserto strutturale in metallo.
Densità 63 kg/m³
Cold-formed flexible polyurethane shell. Structural metal insert. Density 63 kg/m³

FINITURE FINISHES




DETTAGLI SPEDIZIONE SHIPMENT DETAILS

1	1pz	0,35m³	8,5kg

VERSIONE SCOCCA SHELL VERSION

Rivestita totale

Fully upholstered



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign



Omolgazione ministeriale 1. IM con tessuto Mini by Fidivi
Ministerial approval 1. IM with Mini by Fidivi fabric




1,7 ml



2,4 mq

Rivestita "Super Soft"

Upholstered "Super Soft"



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign



1,8 ml



2,5 mq

Tutti i prodotti rivestiti non sono idonei all'esposizione diretta e prolungata ai raggi solari

Upholstered products are not suitable for direct and prolonged exposure to sunlight

Categorie Categories	Tessuto Fabric	Produttore Manufacturer	Caratteristiche tecniche Technical characteristics
S	BONDAI	Fidivi	100% Polyester
A	ONE SECRET JET MINI CURA	Fidivi Flukso Fidivi Fidivi Gabriel	100% Recycled Polyester 76% PVC - 22% PES - 2% PU 100% Polyester Trevira CS 100% Polyester Trevira CS 98% Post-consumer Recycled Polyester - 2% Polyester
B	SEALIFE GO CHECK FOCUS FOCUS MELANGE GO UNI EXTREMA AU STRETCHY GYRE	Fidivi Gabriel Gabriel Gabriel Gabriel Flukso Flukso Flukso	100% Recycled Polyester - SEAQUAL Certified 100% Trevira cs 100% New Zealand Wool 100% New Zealand Wool 100% Trevira CS 63% PU - 29% COT - 8% PES 100% PES FR 100% Revive (PP)
C	ACTON GORGEOUS PASSION BREEZE FUSION STRETCHY PG Slis/Anna Viise TEMPT	Vescom Flukso Gabriel Gabriel Flukso Gabriel	100% Flame-retardant Polyester 50% PES FR - 50% TREVIRA® CS 91% New Zealand Wool - 9% Polyamide 88% New Zealand Wool - 12% Polyamide 100% Polyester
D	CRISP WOLIN CLUNIS BOEMIAN EUROPOST 2 MORPH	Gabriel Vescom Torri Lana Torri Lana Gabriel Gabriel	93% New Zealand Wool - 7% Polyamide 75% Wool - 20% Polyester - 5% Polyamide 33% Wool - 25% Polyester- 25% PC- 15% CO- 2% PA 33% Wool - 25% Polyester- 25% PC- 15% CO- 2% PA 100% New Zealand Wool 85% New Zealand Wool - 15% Polyamide
E	CANVAS 2 HALLINGDAL 65 FIORD 2 REMIX 3	Kvadrat Kvadrat Kvadrat Kvadrat	90% Combed virgin wool - 10 % Nylon 70% New Wool - 30% Viscose 92% Combed virgin wool - 8% Nylon 90% New Wool Worsted - 10% Nylon
P	PRESCOTT POLO	Mastrotto Effetigest	100% Bovine 100% Bovine origin
Q	LINEA SWEET	Mastrotto Effetigest	100% Bovine 100% Bovine origin


Riciclato
Recycled

Cat. A: One, Cura
Cat. B: Sealife, Gyre
Cat. C: Acton
Cat. D: Wolin

Ignifugo
Flame retardant

Tessuto Mini by Fidivi

Mini Fabric by Fidivi
Classificazione di Reazione al Fuoco
Fire Reaction Classification
CLASSE 1 IM
CLASS 1 IM
COD. PN 3822D20D1M00002



STANDARD STANDARD

Base con inserto per pavimenti duri
Base with glide for hard floors

Imballo 100% riciclabile
100% recyclable packaging



SIMBOLI SYMBOLS



Numero di colli
Number of packages



Pezzi per collo
Pieces per package



Volume in m3
Volume in m3



Peso in kg
Weight in kg



Consumo tessuto (ml)
Fabric consumption (ml)



Consumo pelle (mq)
Leather consumption (mq)

