



Sedia con scocca in polipropilene o rivestita e base girevole 4 razze "Office" in alluminio verniciato con alzata a gas

Chair with polypropylene or upholstered shell and 4 star swivel "Office" base in varnished aluminium with gas lift



5PP

OMOLOGAZIONE MINISTERIALE
1. IM CON TESSUTO MINI BY FIDIVI
PER RIVESTITA TOTALE

1. Base a quattro razze in alluminio verniciata a polveri termoindurenti a base di resine poliestere per la prevenzione della proliferazione microbica. Protezioni per pavimenti con inserti in polipropilene intercambiabili per superfici dure o delicate
Four-star aluminium base painted with polyester resin-based thermosetting powders to prevent microbial proliferation. Floor protectors with interchangeable polypropylene glides for hard or delicate surfaces

2. Pistone a gas
Gas lift

3. Supporto fisso con piastra di fissaggio e regolazione in altezza tramite leva
Fixed support with fixing plate and height adjustment by lever

- 4.

Scocca in polipropilene caricato fibra di vetro con additivo anti UV. Viene utilizzato il polipropilene 5 PP per un prodotto 100% riciclabile. Le versioni tappezzate si compongono di tessuto, vellutino FR e poliuretano espanso BS D 30


Polypropylene shell loaded with glass fiber with anti-UV additive. Polypropylene 5 PP is used for a 100% recyclable product. Upholstered versions are made of fabric, FR velvet and BS D 30 expanded polyurethane

FINITURE FINISHES**SCocca SHELL**


Polipropilene Polypropylene

**STRUTTURA FRAME**

Verniciato a polvere Powder coated



Alluminio Lucido Polished Aluminium

Su richiesta senza maggiorazione
On request without surcharge**DETTAGLI SPEDIZIONE SHIPMENT DETAILS**

1


1 pz

0,35 m³

12 kg

VERSIONE SCOCCA SHELL VERSION

Polipropilene Polypropylene




Sistema flessibile
Flexible system

2nd Skin 2nd Skin



Sistema flessibile
Flexible system

Rivestita seduta Seat upholstered



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign



Sistema flessibile
Flexible system




0,35 ml



0,5 mq

Rivestita Anteriore Frontal Upholstered



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign



Sistema flessibile
Flexible system




0,5 ml



0,7 mq

Rivestita Totale Fully Upholstered



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign



Sistema flessibile
Flexible system



1 ml




1,4 mq

CAT. S



Rivestimento sfoderabile
(previo montaggio strutturale)
Removable cover (after structural assembly)

CAT. A - Q



Rivestimento fisso
Fixed upholstered

Tutti i prodotti rivestiti non sono idonei all'esposizione diretta e prolungata ai raggi solari
Upholstered products are not suitable for direct and prolonged exposure to sunlight

Categorie Categories	Tessuto Fabric	Produttore Manufacturer	Caratteristiche tecniche Technical characteristics
S	BONDAL	Fidivi	100% Polyester
A	ONE	Fidivi	100% Recycled Polyester
	SECRET	Flukso	76% PVC - 22% PES - 2% PU
	JET	Fidivi	100% Polyester Trevira CS
	MINI	Fidivi	100% Polyester Trevira CS
	CURA	Gabriel	98% Post-consumer Recycled Polyester - 2% Polyester
B	SEALIFE	Fidivi	100% Recycled Polyester - SEAQUAL Certified
	GO CHECK	Gabriel	100% Trevira cs
	FOCUS	Gabriel	100% New Zealand Wool
	FOCUS MELANGE	Gabriel	100% New Zealand Wool
	GO UNI	Gabriel	100% Trevira CS
	EXTREMA AU	Flukso	63% PU - 29% COT - 8% PES
	STRETCHY	Flukso	100% PES FR
C	GYRE	Flukso	100% Revive (PP)
	ACTON	Vescom	100% Flame-retardant Polyester
	GORGEOUS	Flukso	50% PES FR - 50% TREVIRA® CS
	PASSION	Gabriel	91% New Zealand Wool - 9% Polyamide
	BREEZE FUSION	Gabriel	88% New Zealand Wool - 12% Polyamide
	STRETCHY	Flukso	100% Polyester
D	PG Slis/Anna Viise TEMPT	Gabriel	100% Polyester
	CRISP	Gabriel	93% New Zealand Wool - 7% Polyamide
	WOLIN	Vescom	75% Wool - 20% Polyester - 5% Polyamide
	CLUNIS	Torri Lana	33% Wool - 25% Polyester- 25% PC- 15% CO- 2% PA
	BOEMIAN	Torri Lana	33% Wool - 25% Polyester- 25% PC- 15% CO- 2% PA
	EUROPOST 2	Gabriel	100% New Zealand Wool
	MORPH	Gabriel	85% New Zealand Wool - 15% Polyamide
E	CANVAS 2	Kvadrat	90% Combed virgin wool - 10 % Nylon
	HALLINGDAL 65	Kvadrat	70% New Wool - 30% Viscose
	FIORD 2	Kvadrat	92% Combed virgin wool - 8% Nylon
	REMIX 3	Kvadrat	90% New Wool Worsted - 10% Nylon
P	PRESCOTT	Mastrotto	100% Bovine
	POLO	Effetigest	100% Bovine origin
Q	LINEA	Mastrotto	100% Bovine
	SWEET	Effetigest	100% Bovine origin



Riciclato
Recycled

Cat. A: One, Cura
Cat. B: Sealife, Gyre
Cat. C: Acton
Cat. D: Wolin



Ignifugo
Flame retardant

Tessuto Mini by Fidivi

Mini Fabric by Fidivi
Classificazione di Reazione al Fuoco
Fire Reaction Classification
CLASSE 1IM
CLASS 1IM
COD. PN 3822D20D1M00002

SECOND SKIN SECOND SKIN



01 Barocco
01 Baroque



02 Koi
02 Koi



03 Fiore
03 Flower



04 Autunno
04 Autumn



05 Orchidea
05 Orchid




06 Orientale
06 Oriental



07 Intreccio
07 Plot



08 Voodoo
08 Voodoo



QuickClick



Base per struttura 4 razze "Office"
Base for 4 star base "Office"



Inserto intercambiabile per pavimenti delicati
Interchangeable glide for delicate floors

Imballo 100% riciclabile
100% recyclable packaging



SIMBOLI SYMBOLS



Numero di colli
Number of packages



Pezzi per collo
Pieces per package



Volume in m3
Volume in m3



Peso in kg
Weight in kg



Consumo tessuto (ml)
Fabric consumption (ml)



Consumo pelle (mq)
Leather consumption (mq)



100% PP riciclabile
100% recyclable PP



Seduta girevole
Swivel seat



Alzata a gas
Gas lift

