


Sedia con scocca in polipropilene o rivestita e base fissa a trespolo "Classic" in acciaio verniciato


Chair with polypropylene or upholstered shell and trestle fixed "Classic" base in varnished steel



5PP



OMOLOGAZIONE MINISTERIALE
1. IM CON TESSUTO MINI BY FIDIVI
PER RIVESTITA TOTALE




1. Protezioni per pavimenti con inserti in polipropilene adatti a superfici dure o delicate
Floor protectors with polypropylene glides for hard or delicate surfaces
2. Tubo in acciaio al carbonio ad alto spessore. Alta percentuale (max 60,8%) di materiale ferroso riciclato (LEED - NC 2009) Ø 20 mm. Telaio verniciato a polveri termoindurenti a base di resine poliestere per la prevenzione della proliferazione microbica
High-thickness carbon steel tube. High percentage (max 60,8%) of recycled ferrous material (LEED - NC 2009) Ø 20 mm. Thermosetting powder-coated frame based on polyester resins to prevent microbial proliferation
3. Scocca in polipropilene caricato fibra di vetro con additivo anti UV. Viene utilizzato il polipropilene 5 PP per un prodotto 100% riciclabile. Le versioni tappezzate si compongono di tessuto, vellutino FR e poliuretano espanso BS D 30
Polypropylene shell loaded with glass fiber with anti-UV additive. Polypropylene 5 PP is used for a 100% recyclable product. Upholstered versions are made of fabric, FR velvet and BS D 30 expanded polyurethane

FINITURE FINISHES**SCocca SHELL**

Polipropilene Polypropylene

**STRUTTURA FRAME**

Verniciato a polvere Powder coated

**DETTAGLI SPEDIZIONE SHIPMENT DETAILS**

1 1pz 0,35 m³ 11,5 kg

VERSIONE SCOCCA SHELL VERSION

Polipropilene Polypropylene




Sistema flessibile
Flexible system

2nd Skin 2nd Skin



Sistema flessibile
Flexible system

Rivestita seduta Seat upholstered



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign



Sistema flessibile
Flexible system




0,35 ml



0,5 mq

Rivestita Anteriore Frontal Upholstered



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign



Sistema flessibile
Flexible system




0,5 ml



0,7 mq

Rivestita Totale Fully Upholstered



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign



Sistema flessibile
Flexible system




1 ml



1,4 mq

CAT. S



Rivestimento sfoderabile
(previo montaggio strutturale)
Removable cover (after
structural assembly)

CAT. A - Q



Rivestimento fisso
Fixed upholstered

Tutti i prodotti rivestiti non sono idonei all'esposizione diretta e prolungata ai raggi solari
Upholstered products are not suitable for direct and prolonged exposure to sunlight

Categorie Categories	Tessuto Fabric	Produttore Manufacturer	Caratteristiche tecniche Technical characteristics
S	BONDAI	Fidivi	100% Polyester
A	ONE SECRET JET MINI CURA	Fidivi Flukso Fidivi Fidivi Gabriel	100% Recycled Polyester 76% PVC - 22% PES - 2% PU 100% Polyester Trevira CS 100% Polyester Trevira CS 98% Post-consumer Recycled Polyester - 2% Polyester
B	SEALIFE GO CHECK FOCUS FOCUS MELANGE GO UNI EXTREMA AU STRETCHY GYRE	Fidivi Gabriel Gabriel Gabriel Gabriel Flukso Flukso Flukso	100% Recycled Polyester - SEAQUAL Certified 100% Trevira cs 100% New Zealand Wool 100% New Zealand Wool 100% Trevira CS 63% PU - 29% COT - 8% PES 100% PES FR 100% Revive (PP)
C	ACTON GORGEOUS PASSION BREEZE FUSION STRETCHY PG Slis/Anna Viise TEMPT	Vescom Flukso Gabriel Gabriel Flukso Gabriel	100% Flame-retardant Polyester 50% PES FR - 50% TREVIRA® CS 91% New Zealand Wool - 9% Polyamide 88% New Zealand Wool - 12% Polyamide 100% Polyester 100% Polyester
D	CRISP WOLIN CLUNIS BOEMIAN EUROPOST 2 MORPH	Gabriel Vescom Torri Lana Torri Lana Gabriel Gabriel	93% New Zealand Wool - 7% Polyamide 75% Wool - 20% Polyester - 5% Polyamide 33% Wool - 25% Polyester- 25% PC- 15% CO- 2% PA 33% Wool - 25% Polyester- 25% PC- 15% CO- 2% PA 100% New Zealand Wool 85% New Zealand Wool - 15% Polyamide
E	CANVAS 2 HALLINGDAL 65 FIORD 2 REMIX 3	Kvadrat Kvadrat Kvadrat Kvadrat	90% Combed virgin wool - 10 % Nylon 70% New Wool - 30% Viscose 92% Combed virgin wool - 8% Nylon 90% New Wool Worsted - 10% Nylon
P	PRESCOTT POLO	Mastrotto Effetigest	100% Bovine 100% Bovine origin
Q	LINEA SWEET	Mastrotto Effetigest	100% Bovine 100% Bovine origin



Riciclato
Recycled

Cat. A: One, Cura
Cat. B: Sealife, Gyre
Cat. C: Acton
Cat. D: Wolin



Ignifugo
Flame retardant

Tessuto Mini by Fidivi

Mini Fabric by Fidivi
Classificazione di Reazione al Fuoco
Fire Reaction Classification
CLASSE 1IM
CLASS 1IM
COD. PN 3822D20D1M00002

SECOND SKIN SECOND SKIN



01 Barocco
01 Baroque



02 Koi
02 Koi



03 Fiore
03 Flower



04 Autunno
04 Autumn



05 Orchidea
05 Orchid



06 Orientale
06 Oriental



07 Intreccio
07 Plot




08 Voodoo
08 Voodoo



STANDARD STANDARD

Base con inserto per pavimenti duri
Base with glide for hard floors

Imballo 100% riciclabile
100% recyclable packaging



SIMBOLI SYMBOLS



Numero di colli
Number of packages



Pezzi per collo
Pieces per package



Volume in m3
Volume in m3



Peso in kg
Weight in kg



Consumo tessuto (ml)
Fabric consumption (ml)



Consumo pelle (mq)
Leather consumption (mq)



100% PP riciclabile
100% recyclable PP

