


Modulo centrale rivestito con struttura in legno e gomma a densità variabile con cinghie elastiche. Cuciture con bordino a contrasto
Upholstered middle seat with wooden structure and variable density rubber with elastic belts. Seams with contrast pipping



- A technical line drawing of the sofa unit from a side-front perspective. Callout '1' points to the small polypropylene support foot at the bottom front corner. Callout '2' points to the main modular frame and upholstery of the unit.
1. Piedino di supporto in polipropilene.
Polypropylene support foot.

2. Struttura modulare composta da fusto in multistrato di abete cinghiato. Supporto confortevole in gomma ignifuga di densità 40 kg/m3. Rivestimento in tessuto, ecopelle pelle.
Modular frame consisting of a multilayer firwood. Comfortable support made of fireproof rubber with a density of 40 kg/m3. Upholstery in fabric, faux leather or leather.

FINITURE FINISHES


BORDINO A CONTRASTO CONTRAST PIPING

Cat. B Extrema Ikon



DETTAGLI SPEDIZIONE SHIPMENT DETAILS

1	1pz	0,61 m³	35 kg



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign



3,4 ml



4,8 mq

Tutti i prodotti rivestiti non sono idonei all'esposizione diretta e prolungata ai raggi solari
Upholstered products are not suitable for direct and prolonged exposure to sunlight

Categorie Categories	Tessuto Fabric	Produttore Manufacturer	Caratteristiche tecniche Technical characteristics
A	ONE	Fidivi	100% Recycled Polyester
	SECRET	Flukso	76% PVC - 22% PES - 2% PU
	JET	Fidivi	100% Polyester Trevira CS
	MINI	Fidivi	100% Polyester Trevira CS
	CURA	Gabriel	98% Post-consumer Recycled Polyester - 2% Polyester
B	SEALIFE	Fidivi	100% Recycled Polyester - SEAQUAL Certified
	GO CHECK	Gabriel	100% Trevira cs
	FOCUS MELANGE	Gabriel	100% WO
	STRETCHY	Flukso	100% Polyester
	GO UNI	Gabriel	100% Trevira CS
	EXTREMA AU GYRE	Flukso	63% PU - 29% COT - 8% PES 100% Revive
C	ACTON	Vescom	100% Flame retardant Polyester
	TEMPT	Gabriel	100% Polyester
	GORGEOUS	Flukso	100% PES FR - 100% TREVIRA® CS
	STRETCHY	Flukso	100% Polyester
	PASSION	Gabriel	91% New Zealand Wool - 9% Polyamide
	BREEZE FUSION	Gabriel	88% New Zealand Wool - 12% Polyamide
D	CRISP	Gabriel	93% New Zealand Wool - 7% Polyamide
	WOLIN	Vescom	93% New Zealand Wool - 7% Polyamide
	CLUNIS	Torri Lana	33% Wool - 25% Polyester- 25% PC- 15%CO- 2%PA
	EUROPOST 2	Gabriel	100% New Zealand Wool
	MORPH	Gabriel	85% New Zealand Wool - 15% Polyamide
	BOEMIAN	Torri Lana	33% Wool - 25% Polyester- 25% PC- 15%CO- 2%
E	CANVAS	Kvadrat	90% New Wool Worsted - 10 % Nylon
	HALLINGDAL 65	Kvadrat	70% New Wool - 30% Viscose
	FIORD 2	Kvadrat	92% New Wool Worsted - 8% Nylon
	REMIX 3	Kvadrat	90% New Wool Worsted 10% Nylon
P	PRESCOTT POLO	Mastrotto Effetigest	100% European Bovines 100% Origin Bovines
Q	LINEA SWEET	Mastrotto Effetigest	100% European Bovines 100% Origin Bovines



Riciclato
Recycled

Cat. A: One, Cura
Cat. B: Sealife, Gyre
Cat. C: Acton
Cat. D: Wolin



Ignifugo
Flame retardant

Tutti i tessuti selezionati sono ignifughi.
All selected fabrics are fireproof.

Carica USB
USB charge



Specificare posizionamento e voltaggio della ricarica USB
USB charge: to specify placement and voltage



Posizionamento
Placement



Imballo 100% riciclabile
100% recyclable packaging



SIMBOLI | SYMBOLS



Numero di colli
Number of packages



Pezzi per collo
Pieces per package



Volume in m3
Volume in m3



Peso in kg
Weight in kg




Consumo tessuto (ml)
Fabric consumption (ml)



Consumo pelle (mq)
Leather consumption (mq)

Modulo ad angolo DX-SX rivestito con struttura in legno e gomma con densità variabile e cinghie elastiche. Cuciture con bordino a contrasto
Upholstered corner seat R-L with wooden structure and variable density rubber with elastic belts. Seams with contrast pipping



- A technical line drawing of the corner seat from a side-on perspective. Callout '1' points to the small polypropylene support foot at the bottom left. Callout '2' points to the main modular frame structure of the seat.
1. Piedino di supporto in polipropilene
Polypropylene support foot

2. Struttura modulare composta da fusto in multistrato di abete cinghiato. Supporto confortevole in gomma ignifuga di densità 40 kg/m³. Rivestimento in tessuto, ecopelle pelle
Modular frame consisting of a multilayer firwoor. Comfortable support made of fireproof rubber with a density of 40 kg/m³. Upholstery in fabric, faux leather or leather

FINITURE FINISHES

BORDINO A CONTRASTO CONTRAST PIPING


Cat. B Extrema Ikon



DETTAGLI SPEDIZIONE SHIPMENT DETAILS

1	1pz	0,61m³	43 kg

VERSIONE SCOCCA SHELL VERSION



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign

VERSIONE SX
L version

VERSIONE DX
R version



4,7 ml



6,6 mq



Tutti i prodotti rivestiti non sono idonei all'esposizione diretta e prolungata ai raggi solari
Upholstered products are not suitable for direct and prolonged exposure to sunlight

Categorie Categories	Tessuto Fabric	Produttore Manufacturer	Caratteristiche tecniche Technical characteristics
A	ONE	Fidivi	100% Recycled Polyester
	SECRET	Flukso	76% PVC - 22% PES - 2% PU
	JET	Fidivi	100% Polyester Trevira CS
	MINI	Fidivi	100% Polyester Trevira CS
	CURA	Gabriel	98% Post-consumer Recycled Polyester - 2% Polyester
B	SEALIFE	Fidivi	100% Recycled Polyester - SEAQUAL Certified
	GO CHECK	Gabriel	100% Trevira cs
	FOCUS MELANGE	Gabriel	100% WO
	STRETCHY	Flukso	100% Polyester
	GO UNI	Gabriel	100% Trevira CS
	EXTREMA AU	Flukso	63% PU - 29% COT - 8% PES
C	GYRE	Flukso	100% Revive
	ACTON	Vescom	100% Flame retardant Polyester
	TEMPT	Gabriel	100% Polyester
	GORGEOUS	Flukso	100% PES FR - 100% TREVIRA® CS
	STRETCHY	Flukso	100% Polyester
	PASSION	Gabriel	91% New Zealand Wool - 9% Polyamide
D	BREEZE FUSION	Gabriel	88% New Zealand Wool - 12% Polyamide
	CRISP	Gabriel	93% New Zealand Wool - 7% Polyamide
	WOLIN	Vescom	93% New Zealand Wool - 7% Polyamide
	CLUNIS	Torri Lana	33% Wool - 25% Polyester- 25% PC- 15%CO- 2%PA
	EUROPOST 2	Gabriel	100% New Zealand Wool
	MORPH	Gabriel	85% New Zealand Wool - 15% Polyamide
E	BOEMIAN	Torri Lana	33% Wool - 25% Polyester- 25% PC- 15%CO- 2%
	CANVAS	Kvadrat	90% New Wool Worsted - 10 % Nylon
	HALLINGDAL 65	Kvadrat	70% New Wool - 30% Viscose
	FIORD 2	Kvadrat	92% New Wool Worsted - 8% Nylon
P	REMIX 3	Kvadrat	90% New Wool Worsted 10% Nylon
	PRESCOTT	Mastrotto	100% European Bovines
Q	POLO	Effetigest	100% Origin Bovines
	LINEA	Mastrotto	100% European Bovines
SWEET		Effetigest	100% Origin Bovines



Riciclato
Recycled

Cat. A: One, Cura
Cat. B: Sealife, Gyre
Cat. C: Acton
Cat. D: Wolin



Ignifugo
Flame retardant

Tutti i tessuti selezionati sono ignifughi.
All selected fabrics are fireproof.

Carica USB
USB charge



Specificare posizionamento e voltaggio della ricarica USB
USB charge: to specify placement and voltage



Posizionamento
Placement



Imballo 100% riciclabile
100% recyclable packaging



SIMBOLI | SYMBOLS



Numero di colli
Number of packages



Pezzi per collo
Pieces per package



Volume in m3
Volume in m3



Peso in kg
Weight in kg




Consumo tessuto (ml)
Fabric consumption (ml)



Consumo pelle (mq)
Leather consumption (mq)

Lounge senza bracciolo rivestita con struttura in legno e gomma a densità variabile con cinghie elastiche. Cuciture con bordino a contrasto
Upholstered lounge without armrest with wooden structure and variable density rubber with elastic belts. Seams with contrast piping



- A technical line drawing of the chair's side profile. Callout '1' points to the small support foot at the base of the seat. Callout '2' points to the backrest assembly.
1.

Piedino di supporto in polipropilene
Polypropylene support foot

2.

Struttura modulare composta da fusto in multistrato di abete cinghiato. Supporto confortevole in gomma ignifuga di densità 40 kg/m³. Rivestimento in tessuto, ecopelle pelle
Modular frame consisting of a multilayer firwoor. Comfortable support made of fireproof rubber with a density of 40 kg/m³. Upholstery in fabric, faux leather or leather.

FINITURE FINISHES


BORDINO A CONTRASTO CONTRAST PIPING

Cat. B Extrema Ikon



DETTAGLI SPEDIZIONE SHIPMENT DETAILS

1	1pz	0,88 m³	45 kg



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign



6,5 ml



9,1 mq

Tutti i prodotti rivestiti non sono idonei all'esposizione diretta e prolungata ai raggi solari
Upholstered products are not suitable for direct and prolonged exposure to sunlight

Categorie Categories	Tessuto Fabric	Produttore Manufacturer	Caratteristiche tecniche Technical characteristics
A	ONE	Fidivi	100% Recycled Polyester
	SECRET	Flukso	76% PVC - 22% PES - 2% PU
	JET	Fidivi	100% Polyester Trevira CS
	MINI	Fidivi	100% Polyester Trevira CS
	CURA	Gabriel	98% Post-consumer Recycled Polyester - 2% Polyester
B	SEALIFE	Fidivi	100% Recycled Polyester - SEAQUAL Certified
	GO CHECK	Gabriel	100% Trevira cs
	FOCUS MELANGE	Gabriel	100% WO
	STRETCHY	Flukso	100% Polyester
	GO UNI	Gabriel	100% Trevira CS
	EXTREMA AU GYRE	Flukso	63% PU - 29% COT - 8% PES 100% Revive
C	ACTON	Vescom	100% Flame retardant Polyester
	TEMPT	Gabriel	100% Polyester
	GORGEOUS	Flukso	100% PES FR - 100% TREVIRA® CS
	STRETCHY	Flukso	100% Polyester
	PASSION	Gabriel	91% New Zealand Wool - 9% Polyamide
	BREEZE FUSION	Gabriel	88% New Zealand Wool - 12% Polyamide
D	CRISP	Gabriel	93% New Zealand Wool - 7% Polyamide
	WOLIN	Vescom	93% New Zealand Wool - 7% Polyamide
	CLUNIS	Torri Lana	33% Wool - 25% Polyester- 25% PC- 15%CO- 2%PA
	EUROPOST 2	Gabriel	100% New Zealand Wool
	MORPH	Gabriel	85% New Zealand Wool - 15% Polyamide
	BOEMIAN	Torri Lana	33% Wool - 25% Polyester- 25% PC- 15%CO- 2%
E	CANVAS	Kvadrat	90% New Wool Worsted - 10 % Nylon
	HALLINGDAL 65	Kvadrat	70% New Wool - 30% Viscose
	FIORD 2	Kvadrat	92% New Wool Worsted - 8% Nylon
	REMIX 3	Kvadrat	90% New Wool Worsted 10% Nylon
P	PRESCOTT POLO	Mastrotto Effetigest	100% European Bovines 100% Origin Bovines
Q	LINEA SWEET	Mastrotto Effetigest	100% European Bovines 100% Origin Bovines



Riciclato
Recycled

Cat. A: One, Cura
Cat. B: Sealife, Gyre
Cat. C: Acton
Cat. D: Wolin



Ignifugo
Flame retardant

Tutti i tessuti selezionati sono ignifughi.
All selected fabrics are fireproof.

Carica USB
USB charge



Specificare posizionamento e voltaggio della ricarica USB
USB charge: to specify placement and voltage



Posizionamento
Placement



Imballo 100% riciclabile
100% recyclable packaging



SIMBOLI | SYMBOLS



Numero di colli
Number of packages



Pezzi per collo
Pieces per package



Volume in m3
Volume in m3



Peso in kg
Weight in kg





Consumo tessuto (ml)
Fabric consumption (ml)



Consumo pelle (mq)
Leather consumption (mq)

Lounge con bracciolo Dx-Sx rivestita con struttura in legno e gomma a densità variabile con cinghie elastiche.**Cuciture con bordino a contrasto**

Upholstered lounge with armrest R-L with wooden structure and variable density rubber with elastic belts. Seams with contrast pipping




1. Piedino di supporto in polipropilene
Polypropylene support foot
2. Struttura modulare composta da fusto in multistrato di abete cinghiato. Supporto confortevole in gomma ignifuga di densità 40 kg/m³. Rivestimento in tessuto, ecopelle pelle
Modular frame consisting of a multilayer firwood. Comfortable support made of fireproof rubber with a density of 40 kg/m³. Upholstery in fabric, faux leather or leather

FINITURE FINISHES**BORDINO A CONTRASTO CONTRAST PIPING**

Cat. B Extrema Ikon




EI2330 EI0930 EI2430 EI1130 EI1930

DETTAGLI SPEDIZIONE SHIPMENT DETAILS

1 1pz 0,88 m³ 62 kg

VERSIONE SCOCCA SHELL VERSION



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign

VERSIONE SX
L version

VERSIONE DX
R version



6,5 ml



9,1 mq



Tutti i prodotti rivestiti non sono idonei all'esposizione diretta e prolungata ai raggi solari
Upholstered products are not suitable for direct and prolonged exposure to sunlight

Categorie Categories	Tessuto Fabric	Produttore Manufacturer	Caratteristiche tecniche Technical characteristics
A	ONE SECRET JET MINI CURA	Fidivi Flukso Fidivi Fidivi Gabriel	100% Recycled Polyester 76% PVC - 22% PES - 2% PU 100% Polyester Trevira CS 100% Polyester Trevira CS 98% Post-consumer Recycled Polyester - 2% Polyester
B	SEALIFE GO CHECK FOCUS MELANGE STRETCHY GO UNI EXTREMA AU GYRE	Fidivi Gabriel Gabriel Flukso Gabriel Flukso Flukso	100% Recycled Polyester - SEAQUAL Certified 100% Trevira cs 100% WO 100% Polyester 100% Trevira CS 63% PU - 29% COT - 8% PES 100% Revive
C	ACTON TEMPT GORGEOUS STRETCHY PASSION BREEZE FUSION	Vescom Gabriel Flukso Flukso Gabriel Gabriel	100% Flame retardant Polyester 100% Polyester 100% PES FR - 100% TREVIRA® CS 100% Polyester 91% New Zealand Wool - 9% Polyamide 88% New Zealand Wool - 12% Polyamide
D	CRISP WOLIN CLUNIS EUROPOST 2 MORPH BOEMIAN	Gabriel Vescom Torri Lana Gabriel Gabriel Torri Lana	93% New Zealand Wool - 7% Polyamide 93% New Zealand Wool - 7% Polyamide 33% Wool - 25% Polyester- 25% PC- 15%CO- 2%PA 100% New Zealand Wool 85% New Zealand Wool - 15% Polyamide 33% Wool - 25% Polyester- 25% PC- 15%CO- 2%
E	CANVAS HALLINGDAL 65 FIORD 2 REMIX 3	Kvadrat Kvadrat Kvadrat Kvadrat	90% New Wool Worsted - 10 % Nylon 70% New Wool - 30% Viscose 92% New Wool Worsted - 8% Nylon 90% New Wool Worsted 10% Nylon
P	PRESCOTT POLO	Mastrotto Effetigest	100% European Bovines 100% Origin Bovines
Q	LINEA SWEET	Mastrotto Effetigest	100% European Bovines 100% Origin Bovines



Riciclato
Recycled

Cat. A: One, Cura
Cat. B: Sealife, Gyre
Cat. C: Acton
Cat. D: Wolin



Ignifugo
Flame retardant

Tutti i tessuti selezionati sono ignifughi.
All selected fabrics are fireproof.

Carica USB
USB charge



Specificare posizionamento e voltaggio della ricarica USB
USB charge: to specify placement and voltage



Posizionamento
Placement



Imballo 100% riciclabile
100% recyclable packaging



SIMBOLI | SYMBOLS



Numero di colli
Number of packages



Pezzi per collo
Pieces per package



Volume in m3
Volume in m3



Peso in kg
Weight in kg



Consumo tessuto (ml)
Fabric consumption (ml)



Consumo pelle (mq)
Leather consumption (mq)

