


Poltroncina rivestita con base girevole 5 razze “Classic” in alluminio verniciato con alzata a gas

Upholstered armchair with 5 star swivel “Classic” base in varnished aluminium with gas lift



- The diagram shows a side view of the chair's base and lower frame. Numbered callouts point to specific components: 1 points to a castor, 2 points to the base tube, 3 points to the gas lift cylinder, 4 points to the seat plate, and 5 points to the seat backrest.
1.

Ruote Ø 65 mm in copolimero rinforzato e fasce di rotolamento morbide
Ø 65 mm reinforced copolymer castors with soft rolling treads
2.

Base a cinque razze in acciaio tubo Ø 20 mm al carbonio ad alto spessore. Alta percentuale (max 60,8%) di materiale ferroso riciclato (LEED - NC 2009). Telaio verniciato a polveri termoindurenti a base di resine poliestere per la prevenzione della proliferazione microbica
Five-star steel base with 20 mm thick carbon tube. High percentage (max 60,8%) of recycled ferrous material (LEED - NC 2009). Thermosetting powder-coated frame based on polyester resins to prevent microbial proliferation
3.

Pistone a gas
Gas lift
4.


Supporto fisso con piastra di fissaggio e regolazione in altezza tramite leva
Fixed support with fixing plate and height adjustment by lever
5.

Scocca in Bayduz®, poliuretano rigido autoportante e riciclabile al 100%. Versione tappezzata con ovatta floccata per imbottitura, gomma poliuretanica e tessuto
Shell made of Bayduz®, a self-supporting, 100% recyclable rigid polyurethane. The upholstered version consists of flocked wadding, polyurethane rubber and fabric

FINITURE FINISHES

STRUTTURA FRAME

Verniciato a polvere Powder coated




DETTAGLI SPEDIZIONE SHIPMENT DETAILS

1	1pz	0,4 m³	10,1 kg

VERSIONE SCOCCA SHELL VERSION

Rivestita "Super Soft"

Upholstered "Super Soft"



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign



1,8 ml



2,6 mq

COMPATIBILITÀ DEI TESSUTI FABRIC COMPATIBILITY BY COLLECTION

TESSUTI		ENKI	COMPOSIZIONE COMPOSITION
S	Demetra	●	60% POLIESTERE RICICLATO RECYCLED POLYESTER 40% POLIESTERE POLYESTER
	Surround	●	87,5% PVC PVC 12,5% COTONE COTTON
	Tonal	●	100% POLIESTERE RICICLATO POST-CONSUMO POST-CONSUMER RECYCLED POLYESTER
	Jet	●	100% POLIESTERE TREVIRA® CS POLYESTER TREVIRA® CS
A	Mini 	●	100% POLIESTERE TREVIRA® CS POLYESTER TREVIRA® CS
	Cura	●	100% POLIESTERE RICICLATO POST-CONSUMO POST-CONSUMER RECYCLED POLYESTER
	Guest	●	100% POLIESTERE RICICLATO RECYCLED POLYESTER
B	Zenith	●	100% POLIESTERE RICICLATO FR RECYCLED POLYESTER FR
	Poseidon	●	100% POLIESTERE RICICLATO SEAQUAL® SEAQUAL® RECYCLED POLYESTER
	Gyre	●	100% REVIVE PP REVIVE PP
	Fenice	●	75% LANA WOOL 25% POLIAMMIDE POLYAMIDE
	Grain	●	100% POLIESTERE RICICLABILE RECYCLABLE POLYESTER
	Acton	●	87% POLIESTERE RICICLATO FR RECYCLED POLYESTER FR 13% POLIESTERE FR POLYESTER FR
C	Extrema AU	●	63% POLIURETANO POLYURETHANE 29% COTONE COTTON 8% POLIESTERE POLYESTER
	Moore	●	100% POLIESTERE RICICLATO FR RECYCLED POLYESTER FR
	Ally	●	95% POLIETILENE TEREFTALATO RICICLATO RECYCLED POLYETHYLENE TEREPHTHALATE 5% POLIESTERE POLYESTER
	Focus Melange	●	100% LANA NEOZELANDESE NEW ZEALAND WOOL
	Bisentium	●	30% LANA VERGINE VIRGIN WOOL 28% LANA WOOL 26% POLIAMMIDE POLYAMIDE 16% SETA SILK
	Auckland	●	76% POLIESTERE RICICLATO FR RECYCLED POLYESTER FR 24% POLIESTERE FR POLYESTER FR
D	Crisp	●	93% LANA NEOZELANDESE NEW ZEALAND WOOL 7% POLIAMMIDE POLYAMIDE
	Gorgeus	●	100% POLIESTERE TREVIRA® CS POLYESTER TREVIRA® CS
	Breeze Fusion	●	88% LANA NEOZELANDESE NEW ZEALAND WOOL 12% POLIAMMIDE POLYAMIDE
	Wolin	●	75% LANA RICICLATA POST CONSUMO POST-CONSUMER RECYCLED WOOL 20% POLIESTERE POLYESTER 5% POLIAMMIDE POLYAMIDE
	Remix 3	●	90% LANA VERGINE NEW WOOL 10% POLIAMMIDE POLYAMIDE
E	Rewool	●	45% LANA VERGINE NEW WOOL 45% LANA RICICLATA RECYCLED WOOL 10% POLIAMMIDE POLYAMIDE
	Canvas 2	●	90% LANA VERGINE NEW WOOL 10% POLIAMMIDE POLYAMIDE

TESSUTI	ENKI	COMPOSIZIONE COMPOSITION
Encircle	●	100% POLIESTERE TREVIRA® CS POLYESTER TREVIRA® CS
F Steelcut Trio	●	90% LANA VERGINE NEW WOOL 10% POLIAMMIDE POLYAMIDE
Hallingdal 65	●	70% LANA VERGINE NEW WOOL 30% VISCOSA VISCOSE
Ecriture	●	40% POLIACRILICO POLYACRYLIC 27% POLIESTERE POLYESTER 18% VISCOSA VISCOSE 9% LINO LINEN 6% COTONE COTTON
P Polo	●	BOVINO EUROPEO EUROPEAN BOVINE
Q Prescott	●	BOVINO EUROPEO EUROPEAN BOVINE
Linea	●	BOVINO EUROPEO EUROPEAN BOVINE
Sweet	●	BOVINO EUROPEO EUROPEAN BOVINE

● Disponibile Available

○ Previa consultazione Upon consultation

ACCESSORI ACESSORIES



STANDARD STANDARD

Ruota nera Ø65 mm in copolimero rinforzato con fasce di rotolamento morbide; battistrada idoneo per pavimenti normali
Black castor d. 65 mm reinforced copolymer soft treads; suitable for normal floors



STANDARD STANDARD

Ruota bianca Ø65 mm in copolimero rinforzato con fasce di rotolamento morbide; battistrada idoneo per pavimenti normali
White castor d. 65 mm reinforced copolymer soft treads; suitable for normal floors

Imballo 100% riciclabile
100% recyclable packaging



SIMBOLI SYMBOLS



Numero di colli
Number of packages



Pezzi per collo
Pieces per package



Volume in m3
Volume in m3



Peso in kg
Weight in kg



Consumo tessuto (ml)
Fabric consumption (ml)



Consumo pelle (mq)
Leather consumption (mq)



Seduta girevole
Swivel seat



Alzata a gas
Gas lift



Classificazione di Reazione al Fuoco
Fire Reaction Classification
CLASSE 1IM - COD. PN 3822D20D1M00002

