



Poltroncina con scocca in polipropilene o rivestita e base a slitta in acciaio verniciato

Armchair with polypropylene or upholstered shell and sled base in varnished aluminium



1.

Base con inserto in polipropilene per pavimenti duri o delicati
Base with polypropylene insert for hard or delicate floors
2.

Struttura metallica in filo di ferro trafilato crudo lucido FE 360 B, Ø 12 mm con percentuale media di ferro riciclato del 26,07%. Telaio verniciato a polveri termoindurenti a base di resine poliestere per la prevenzione della proliferazione microbica
Metal structure in polished raw drawn iron wire FE 360 B, Ø 12 mm with an average percentage of recycled iron of 26,07%. Thermosetting powder-coated frame based on polyester resins to prevent microbial proliferation
3.

Scocca in polipropilene provientente al 70% da riciclo post industriale
Polypropylene shell from 70% post-industrial recycling

FINITURE FINISHES

SCocca SHELL

Polipropilene Polypropylene



STRUTTURA FRAME

Verniciato a polvere Powder coated



DETTAGLI SPEDIZIONE SHIPMENT DETAILS


1	1pz	0,35m³	9 kg

Levante

VERSIONE SCOCCA SHELL VERSION


Polipropilene

Polypropylene



Polipropilene con cuscino fisso

Polypropylene with fixed cushion



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign




0,6 ml



1,1 mq

Rivestita totale

Fully upholstered



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign




1,8 ml



2,5 mq

Cuscino Termosaldato per seduta

Heat sealed seat cushion



Solo tessuto CHEVRONNE e YUTA NAVY SUPER per cuscino termosaldato
Only CHEVRONNE and YUTA NAVY SUPER fabric for heat-sealed pillow



0,35 ml

Tutti i prodotti rivestiti non sono idonei all'esposizione diretta e prolungata ai raggi solari
Upholstered products are not suitable for direct and prolonged exposure to sunlight

COMPATIBILITÀ DEI TESSUTI FABRIC COMPATIBILITY BY COLLECTION

TESSUTI	LEVANTE	COMPOSIZIONE COMPOSITION
S Demetra	●	60% POLIESTERE RICICLATO RECYCLED POLYESTER 40% POLIESTERE POLYESTER
Surround	○	87,5% PVC PVC 12,5% COTONE COTTON
Tonal	●	100% POLIESTERE RICICLATO POST-CONSUMO POST-CONSUMER RECYCLED POLYESTER
Jet	●	100% POLIESTERE TREVIRA® CS POLYESTER TREVIRA® CS
A Mini	●	100% POLIESTERE TREVIRA® CS POLYESTER TREVIRA® CS
Cura	●	100% POLIESTERE RICICLATO POST-CONSUMO POST-CONSUMER RECYCLED POLYESTER
Guest	○	100% POLIESTERE RICICLATO RECYCLED POLYESTER
B Zenith	●	100% POLIESTERE RICICLATO FR RECYCLED POLYESTER FR
Poseidon	●	100% POLIESTERE RICICLATO SEAQUAL® SEAQUAL® RECYCLED POLYESTER
Gyre	●	100% REVIVE PP REVIVE PP
Fenice	●	75% LANA WOOL 25% POLIAMMIDE POLYAMIDE
Grain	●	100% POLIESTERE RICICLABILE RECYCLABLE POLYESTER
Acton	●	87% POLIESTERE RICICLATO FR RECYCLED POLYESTER FR 13% POLIESTERE FR POLYESTER FR
C Extrema AU	○	63% POLIURETANO POLYURETHANE 29% COTONE COTTON 8% POLIESTERE POLYESTER
Moore		100% POLIESTERE RICICLATO FR RECYCLED POLYESTER FR
Ally	●	95% POLIETILENE TEREF TALATO RICICLATO RECYCLED POLYETHYLENE TEREPHTHALATE 5% POLIESTERE POLYESTER
Focus Melange	●	100% LANA NEOZELANDESE NEW ZEALAND WOOL
Bisentium	●	30% LANA VERGINE VIRGIN WOOL 28% LANA WOOL 26% POLIAMMIDE POLYAMIDE 16% SETA SILK
Auckland	●	76% POLIESTERE RICICLATO FR RECYCLED POLYESTER FR 24% POLIESTERE FR POLYESTER FR
D Crisp	●	93% LANA NEOZELANDESE NEW ZEALAND WOOL 7% POLIAMMIDE POLYAMIDE
Gorgeus		100% POLIESTERE TREVIRA® CS POLYESTER TREVIRA® CS
Breeze Fusion	●	88% LANA NEOZELANDESE NEW ZEALAND WOOL 12% POLIAMMIDE POLYAMIDE
Wolin	●	75% LANA RICICLATA POST CONSUMO POST-CONSUMER RECYCLED WOOL 20% POLIESTERE POLYESTER 5% POLIAMMIDE POLYAMIDE
Remix 3	●	90% LANA VERGINE NEW WOOL 10% POLIAMMIDE POLYAMIDE
E Rewool	●	45% LANA VERGINE NEW WOOL 45% LANA RICICLATA RECYCLED WOOL 10% POLIAMMIDE POLYAMIDE
Canvas 2	●	90% LANA VERGINE NEW WOOL 10% POLIAMMIDE POLYAMIDE

TESSUTI	LEVANTE	COMPOSIZIONE COMPOSITION
	●	
Encircle	●	100% POLIESTERE TREVIRA® CS POLYESTER TREVIRA® CS
F Steelcut Trio	●	90% LANA VERGINE NEW WOOL 10% POLIAMMIDE POLYAMIDE
Hallingdal 65		70% LANA VERGINE NEW WOOL 30% VISCOSA VISCOSE
Ecriture		40% POLIACRILICO POLYACRYLIC 27% POLIESTERE POLYESTER 18% VISCOSA VISCOSE 9% LINO LINEN 6% COTONE COTTON
P Polo	○	BOVINO EUROPEO EUROPEAN BOVINE
Q Prescott	○	BOVINO EUROPEO EUROPEAN BOVINE
Linea	○	BOVINO EUROPEO EUROPEAN BOVINE
Sweet	○	BOVINO EUROPEO EUROPEAN BOVINE

● Disponibile Available ○ Previa consultazione Upon consultation

ACCESSORI ACESSORIES



STANDARD STANDARD

Base con inserto in polipropilene per pavimenti duri
Base with polypropylene insert for hard floors



SU RICHIESTA ON REQUEST

Sistema di allineamento base slitta
Chair link for parallel legs for sled base

Imballo 100% riciclabile
100% recyclable packaging



SIMBOLI SYMBOLS



Numero di colli
Number of packages



Pezzi per collo
Pieces per package



Volume in m3
Volume in m3



Peso in kg
Weight in kg



Consumo tessuto (ml)
Fabric consumption (ml)



Consumo pelle (mq)
Leather consumption (mq)



Classificazione di Reazione al Fuoco
Fire Reaction Classification
CLASSE 1IM - COD. PN 3822D20D1M00002

