



Poltroncina con scocca in polipropilene o rivestita e 4 gambe in acciaio verniciato

Armchair with polypropylene or upholstered shell and 4 legs in varnished alluminium



1. Base con inserto in polipropilene per pavimenti duri o delicati
Base with polypropylene insert for hard or delicate floors
2. Struttura metallica in tubo di acciaio al carbonio ad alto spessore. Alta percentuale (max 60,8%) di materiale ferroso riciclato (LEED - NC 2009). Telaio verniciato a polveri termoindurenti a base di resine poliesteri per la prevenzione della proliferazione microbica
Metal structure made of thick carbon steel tube. High percentage (max 60,8%) of recycled ferrous material (LEED - NC 2009). Thermosetting powder-coated frame based on polyester resins to prevent microbial proliferation. Also available with outdoor treatment
3. Scocca in polipropilene proviente al 70% da riciclo post industriale
Polypropylene shell from 70% post-industrial recycling

FINITURE FINISHES

SCocca SHELL

Polipropilene Polypropylene



IG AN NG CB WR PG DG NB

STRUTTURA FRAME

Verniciato a polvere Powder coated



ZB ZT ZG ZI ZM ZE ZX ZW ZP Z2 ZH ZK ZI ZL ZQ ZN EY

DETTAGLI SPEDIZIONE SHIPMENT DETAILS




1 1pz 0,35m³ 9kg

Levante

VERSIONE SCOCCA SHELL VERSION


Polipropilene

Polypropylene



Polipropilene con cuscino fisso

Polypropylene with fixed cushion



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign




0,6 ml



1,1 mq

Rivestita totale

Fully upholstered



Tessuto cliente: necessaria approvazione di m | artedesign
Fabric supplied by customers: must be approved by m | artedesign




1,8 ml



2,5 mq

Cuscino Termosaldato per seduta

Heat sealed seat cushion



Solo tessuto CHEVRONNE e YUTA NAVY SUPER per cuscino termosaldato
Only CHEVRONNE and YUTA NAVY SUPER fabric for heat-sealed pillow



0,35 ml

Tutti i prodotti rivestiti non sono idonei all'esposizione diretta e prolungata ai raggi solari
Upholstered products are not suitable for direct and prolonged exposure to sunlight

COMPATIBILITÀ DEI TESSUTI FABRIC COMPATIBILITY BY COLLECTION

TESSUTI	LEVANTE	COMPOSIZIONE COMPOSITION
S	Demetra	60% POLIESTERE RICICLATO RECYCLED POLYESTER 40% POLIESTERE POLYESTER
	Surround	87,5% PVC PVC 12,5% COTONE COTTON
	Tonal	100% POLIESTERE RICICLATO POST-CONSUMO POST-CONSUMER RECYCLED POLYESTER
	Jet	100% POLIESTERE TREVIRA® CS POLYESTER TREVIRA® CS
A	Mini	100% POLIESTERE TREVIRA® CS POLYESTER TREVIRA® CS
	Cura	100% POLIESTERE RICICLATO POST-CONSUMO POST-CONSUMER RECYCLED POLYESTER
	Guest	100% POLIESTERE RICICLATO RECYCLED POLYESTER
B	Zenith	100% POLIESTERE RICICLATO FR RECYCLED POLYESTER FR
	Poseidon	100% POLIESTERE RICICLATO SEAQUAL® SEAQUAL® RECYCLED POLYESTER
	Gyre	100% REVIVE PP REVIVE PP
	Fenice	75% LANA WOOL 25% POLIAMMIDE POLYAMIDE
	Grain	100% POLIESTERE RICICLABILE RECYCLABLE POLYESTER
	Acton	87% POLIESTERE RICICLATO FR RECYCLED POLYESTER FR 13% POLIESTERE FR POLYESTER FR
	C	Extrema AU
Moore		100% POLIESTERE RICICLATO FR RECYCLED POLYESTER FR
Ally		95% POLIETILENE TEREFTALATO RICICLATO RECYCLED POLYETHYLENE TEREPHTHALATE 5% POLIESTERE POLYESTER
Focus Melange		100% LANA NEOZELANDESE NEW ZEALAND WOOL
Bisentium		30% LANA VERGINE VIRGIN WOOL 28% LANA WOOL 26% POLIAMMIDE POLYAMIDE 16% SETA SILK
Auckland		76% POLIESTERE RICICLATO FR RECYCLED POLYESTER FR 24% POLIESTERE FR POLYESTER FR
D		Crisp
	Gorgeus	100% POLIESTERE TREVIRA® CS POLYESTER TREVIRA® CS
	Breeze Fusion	88% LANA NEOZELANDESE NEW ZEALAND WOOL 12% POLIAMMIDE POLYAMIDE
	Wolin	75% LANA RICICLATA POST CONSUMO POST-CONSUMER RECYCLED WOOL 20% POLIESTERE POLYESTER 5% POLIAMMIDE POLYAMIDE
	Remix 3	90% LANA VERGINE NEW WOOL 10% POLIAMMIDE POLYAMIDE
E	Rewool	45% LANA VERGINE NEW WOOL 45% LANA RICICLATA RECYCLED WOOL 10% POLIAMMIDE POLYAMIDE
	Canvas 2	90% LANA VERGINE NEW WOOL 10% POLIAMMIDE POLYAMIDE

TESSUTI	LEVANTE	COMPOSIZIONE COMPOSITION
Encircle	●	100% POLIESTERE TREVIRA® CS POLYESTER TREVIRA® CS
F Steelcut Trio	●	90% LANA VERGINE NEW WOOL 10% POLIAMMIDE POLYAMIDE
Hallingdal 65		70% LANA VERGINE NEW WOOL 30% VISCOSA VISCOSE
Ecriture		40% POLIACRILICO POLYACRYLIC 27% POLIESTERE POLYESTER 18% VISCOSA VISCOSE 9% LINO LINEN 6% COTONE COTTON
P Polo	○	BOVINO EUROPEO EUROPEAN BOVINE
Q Prescott	○	BOVINO EUROPEO EUROPEAN BOVINE
Linea	○	BOVINO EUROPEO EUROPEAN BOVINE
Sweet	○	BOVINO EUROPEO EUROPEAN BOVINE

● Disponibile Available ○ Previa consultazione Upon consultation

ACCESSORI ACESSORIES



STANDARD STANDARD

Base orientabile per struttura 4 Gambe
Swivel base for 4 Legs base



Inserto per pavimenti duri
Glide for hard floors



STANDARD STANDARD

Inserto intercambiabile per pavimenti delicati
Interchangeable glide for delicate floors

Imballo 100% riciclabile
100% recyclable packaging



SIMBOLI SYMBOLS



Numero di colli
Number of packages



Pezzi per collo
Pieces per package



Volume in m3
Volume in m3



Peso in kg
Weight in kg



Consumo tessuto (ml)
Fabric consumption (ml)



Consumo pelle (mq)
Leather consumption (mq)



Classificazione di Reazione al Fuoco
Fire Reaction Classification
CLASSE 1IM - COD. PN 3822D20D1M00002

