



Tavolo con struttura in tubolare di acciaio verniciato

Painted tubular steel frame table



1. Struttura in tubo di acciaio ad alta percentuale (max 60,8%) di materiale ferroso riciclato (LEED - NC 2009). Verniciatura a polveri termoindurenti a base di resine poliestere per la prevenzione della proliferazione microbica
Structure made of steel tubing with a high percentage (up to 60.8%) of recycled ferrous material (LEED - NC 2009). Powder coating with thermosetting polyester resin-based paints to prevent microbial proliferation
2. Top disponibili in: melaminico, Fenix® e Recomplax® spessore 18 mm e Hpl, Corian® e Gres spessore 12 mm.
Tops available in: melamine, Fenix® and Recomplax® 18 mm thick and Hpl, Corian® and Gres thick 12 mm

FINITURE FINISHES


STRUTTURA FRAME

Verniciato a polvere Powder coated




COLORI TOP TOP COLORS

Melaminico sp. 18 mm Melamine th. 18 mm




Fenix sp. 10 mm Fenix th. 10 mm



HPL sp. 10 mm HPL th. 10 mm



Recomplax® sp. 18 mm Recomplax® th. 18 mm



Corian® sp. 12 mm CORIAN® th. 12 mm






Gres sp. 12 mm Gres th. 12 mm



Spider

DETTAGLI SPEDIZIONE SHIPMENT DETAILS

| | | | |
|-------------------------------|---|--|---|
| |  |  |  |
| H.74 CM Ø70 CM H.74 cm Ø70 cm | 2 pz | 0,42 m³ | 16,5 kg |

Tutti i prodotti rivestiti non sono idonei all'esposizione diretta e prolungata ai raggi solari
Upholstered products are not suitable for direct and prolonged exposure to sunlight

ACCESSORI ACESSORIES



Aggancio piani
Table top connector kit



Inserto per pavimenti duri
Glide for hard floors

STANDARD STANDARD



Inserto intercambiabile per pavimenti delicati
Interchangeable glide for delicate floors

Imballo 100% riciclabile
100% recyclable packaging



SIMBOLI SYMBOLS



Numero di colli
Number of packages



Volume in m3
Volume in m3



Peso in kg
Weight in kg



Outdoor
Outdoor

